

CONTENTS CONTINUED

Hepatic artery aneurysm: Factors that predict complications	41
Maher A. Abbas, MD, Richard J. Fowl, MD, William M. Stone, MD, Jean M. Panneton, MD, W. Andrew Oldenburg, MD, Thomas C. Bower, MD, Kenneth J. Cherry, MD, and Peter Gloviczki, MD, <i>Scottsdale, Ariz; Rochester, Minn; and Jacksonville, Fla</i>	
Five-year interim comparison of the Guidant bifurcated endograft with open repair of abdominal aortic aneurysm	46
Wesley S. Moore, MD, Jon S. Matsumura, MD, Michel S. Makaroun, MD, Barry T. Katzen, MD, David H. Deaton, MD, Maria Decker, MD, and Gary Walker, PhD, for the EVT/Guidant Investigators, <i>Los Angeles, Calif; Chicago, Ill; Washington, DC; and Menlo Park, Calif</i>	
Cardiac risk stratification in patients undergoing endoluminal graft repair of abdominal aortic aneurysm: A single-institution experience with 365 patients	56
Ihab N. Aziz, MD, Jason T. Lee, MD, George E. Kopchok, BS, Carlos E. Donayre, MD, Rodney A. White, MD, and Christian de Virgilio, MD, <i>Torrance, Calif</i>	
Technique and results of transfemoral superselective coil embolization of type II lumbar endoleak	61
Karthikeshwar Kasirajan, MD, Brian Matteson, MD, John M. Marek, MD, and Mark Langsfeld, MD, <i>Albuquerque, NM</i>	
Subfascial endoscopic perforator vein surgery combined with saphenous vein ablation: Results and critical analysis	67
Christian Bianchi, MD, Jeffrey L. Ballard, MD, Ahmed M. Abou-Zamzam, MD, and Theodore H. Teruya, MD, <i>Loma Linda, Calif</i>	

CLINICAL RESEARCH STUDIES

Effectiveness and cost of screening for abdominal aortic aneurysm: Results of a population screening program	72
A. B. M. Wilmink, MD, C. R. G. Quick, MS, C. Sff. Hubbard, MD, and N. E. Day, PhD, <i>Birmingham, Huntingdon, and Cambridge, England</i>	
Endovascular suture versus cutdown for endovascular aneurysm repair: A prospective randomized pilot study	78
Giovanni B. Torsello, MD, Bernd Kasprzak, MD, Eckhard Klenk, MD, Jörg Tessarek, MD, Nani Osada, PhD, and Giovanni F. Torsello, <i>Münster, Germany</i>	
Femoral endarteritis associated with percutaneous suture closure: New technology, challenging complications	83
H. Whitton Hollis, Jr, MD, and Thomas F. Rehring, MD, <i>Denver, Colo</i>	
Comparison of morphologic features of intact and ruptured aneurysms of infrarenal abdominal aorta	88
R. J. Hinchliffe, MRCS, P. Alric, MD, D. Rose, MB, ChB, V. Owen, MSc, I. R. Davidson, FRCS, FRCR, M. P. Armon, DM, FRCS, and B. R. Hopkinson, ChM, FRCS, <i>Nottingham, England</i>	
Endovascular aneurysm repair: Gender-specific results	93
Kenneth Ouriel, MD, Roy K. Greenberg, MD, Daniel G. Clair, MD, Patrick J. O'Hara, MD, Sunita D. Srivastava, MD, Sean P. Lyden, MD, Timur P. Sarac, MD, Ellis Sampram, MD, and Brett Butler, MD, <i>Cleveland, Ohio</i>	

continued on page 9A